

Honeywell Asensa® SC 400

INCI Name:
Ethylene/Acrylic Acid Copolymer

CAS: 9010-77-9

EINECS: 200-815-3 (Ethylene monomer), 201-177-9 (Acrylic acid monomer)

Listed in the following registries:

TSCA (US), DSL (CAN), ENCS (Japan), AICS (Australia), IECSC (China), KECI (Korea), PICCS (Philippines)

PRODUCT DESCRIPTION

Asensa SC 400 and **Asensa SC 401** are high quality copolymers of ethylene and acrylic acid and therefore have an inherent polarity that increases their compatibility with other polar oils and aids in dispersing various active ingredients. They differ only in particle size with pellet material being used to thicken or gel anhydrous systems or oil phases of emulsions. The smaller particle size material is used primarily in cleansing applications where exfoliation is desired. The average particle size and shape of this material provides a moderate degree of exfoliating and the beads tend to be more transparent than other polyethylene grades.

TYPICAL PROPERTIES

Property	Asensa SC 400
Hardness @ 25° C (dmm)	2.5
Drop Point, Mettler (°C)	105
Density (g/cc)	0.93
Viscosity @ 150° C Brookfield (cps)	575
Acid Number (mg KOH/g)	37 – 44
Average Particle Size (µm)	350
Physical Form	Powder

APPLICATIONS

As exfoliating agents in:

- Facial Scrubs
- Body Scrubs
- Foot Scrubs
- Bar Soap

HANDLING

The expiration date for these products is five years after shipment, provided the original packaging is intact. Please see product MSDS for any further handling instructions.

Honeywell Personal Care
101 Columbia Road
Morristown, NJ 07962
Technical support:
973-455-4425
www.honeywell.com/asensa

NOTICE: All statements, information, and data given herein are believed to be accurate and reliable, but are presented without guaranty, warranty, or responsibility of any kind, express or implied. Statements or suggestions concerning our products are made without representation or warranty that any such use is free of patent infringement, and are not recommendations to infringe any patent. The user should not assume that all safety measures are indicated, or that other measures may not be required.

January 2009
© 2009 Honeywell International

Honeywell