

**70% Acetonitrile 30% NMI (734)**

Version 1

Revision Date 08/28/2008

Print Date 08/28/2008

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : 70% Acetonitrile 30% NMI (734)  
MSDS Number : 000000013461  
Product Use Description : Laboratory Use

Company : Honeywell International Inc.  
1953 South Harvey Street  
Muskegon, MI 49442

For more information call : 1-800-368-0050  
(Monday-Friday, 9:00am-5:00pm)

**In case of emergency call : Medical: 1-800-498-5701**  
**: Transportation: 1-800-424-9300 or +1-703-527-3887**  
**: (24 hours/day, 7 days/week)**

**SECTION 2. HAZARDS IDENTIFICATION****Emergency Overview**

Form : liquid, clear

Color : colourless

Odor : ether-like

Hazard Summary : Flammable. In use, may form flammable/explosive vapour-air mixture. Corrosive. Causes burns. May be harmful if inhaled. May be harmful if swallowed. May be harmful if absorbed through skin. Irritating to eyes, respiratory system and skin. May cause irritation of the gastrointestinal tract. Can cause fatal cyanide poisoning. May cause convulsions. Symptoms may be delayed. Can be absorbed through skin. Repeated exposure may cause skin dryness or cracking.

**Potential Health Effects**

Skin : Causes skin burns.  
May be harmful if absorbed through skin.  
Can cause fatal cyanide poisoning.  
Symptoms may be delayed.  
Prolonged or repeated skin contact with liquid may cause defatting resulting in drying, redness and possible blistering.

Eyes : Causes eye burns.  
Causes itching, burning, redness and tearing.

**70% Acetonitrile 30% NMI (734)**

Version 1

Revision Date 08/28/2008

Print Date 08/28/2008

**Ingestion** : Ingestion causes burns of the upper digestive and respiratory tracts.  
Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.  
May cause systemic poisoning with symptoms paralleling those of inhalation.  
Can cause fatal cyanide poisoning.  
Symptoms may be delayed.

**Inhalation** : Inhaled corrosive substances can lead to a toxic oedema of the lungs.  
Inhalation of high vapour concentrations can cause CNS-depression and narcosis.  
Causes headache, drowsiness or other effects to the central nervous system.  
Can cause fatal cyanide poisoning.  
Symptoms may be delayed.

**Chronic Exposure** : Can cause fatal cyanide poisoning.  
Causes damage to the kidneys/liver/eyes/brain/respiratory system/central nervous system through prolonged or repeated exposure.  
Prolonged or repeated skin contact with liquid may cause defatting resulting in drying, redness and possible blistering.

**Aggravated Medical Condition** : People suffering from pre-existing thyroid conditions may experience adverse effects.  
Neurological disorders  
Heart disease  
Respiratory disorders  
Liver disorders  
Kidney disorders  
Skin disorders  
Eye disorders

**Target Organs** : Respiratory system  
Cardiovascular system  
Central nervous system  
Liver  
Kidney

**Carcinogenicity**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP, IARC, or OSHA.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

**70% Acetonitrile 30% NMI (734)**

Version 1

Revision Date 08/28/2008

Print Date 08/28/2008

Component	CAS-No.	Weight %
Acetonitrile	75-05-8	63.90
1-Methylimidazole	616-47-7	36.10

**SECTION 4. FIRST AID MEASURES**

- Inhalation : Call a physician immediately. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Use oxygen as required, provided a qualified operator is present.
- Skin contact : Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Wash contaminated clothing before re-use. Call a physician immediately.
- Eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately.
- Ingestion : Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Call a physician immediately.

**Notes to physician**

- Treatment : Treat symptomatically.

**SECTION 5. FIRE-FIGHTING MEASURES**

- Flash point : 10 °C (50 °F)  
closed cup
- Ignition temperature : 524 °C (975 °F)  
The physical data is that of the main component.
- Lower explosion limit : 3 %(V)  
The physical data is that of the main component.
- Upper explosion limit : 16 %(V)  
The physical data is that of the main component.
- Suitable extinguishing media : Carbon dioxide (CO<sub>2</sub>)  
Dry chemical  
Alcohol-resistant foam  
Cool closed containers exposed to fire with water spray.

**70% Acetonitrile 30% NMI (734)**

Version 1

Revision Date 08/28/2008

Print Date 08/28/2008

- Extinguishing media which shall not be used for safety reasons : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during fire fighting : Flammable.  
Vapours may form explosive mixtures with air.  
Vapours are heavier than air and may spread along floors.  
Vapors may travel to areas away from work site before igniting/flashing back to vapor source.  
In case of fire hazardous decomposition products may be produced such as:  
Hydrogen cyanide (hydrocyanic acid)  
Carbon dioxide (CO<sub>2</sub>), carbon monoxide (CO), oxides of nitrogen (NO<sub>x</sub>), dense black smoke.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus and protective suit.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions : Wear personal protective equipment.  
Immediately evacuate personnel to safe areas.  
Keep people away from and upwind of spill/leak.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Do not swallow.  
Do not breathe vapours or spray mist.  
Do not get in eyes, on skin, or on clothing.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Discharge into the environment must be avoided.  
Do not flush into surface water or sanitary sewer system.  
Prevent product from entering drains.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
- Methods for cleaning up : Ventilate the area.  
No sparking tools should be used.  
Use explosion-proof equipment.  
Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

**SECTION 7. HANDLING AND STORAGE****Handling**

- Handling : Wear personal protective equipment.

**70% Acetonitrile 30% NMI (734)**

Version 1

Revision Date 08/28/2008

Print Date 08/28/2008

Use only in well-ventilated areas.  
 Keep container tightly closed.  
 Do not smoke.  
 Do not swallow.  
 Do not breathe vapours or spray mist.  
 Do not get in eyes, on skin, or on clothing.

Advice on protection against fire and explosion : Keep away from fire, sparks and heated surfaces.  
 Take precautionary measures against static discharges.  
 Ensure all equipment is electrically grounded before beginning transfer operations.  
 Use explosion-proof equipment.  
 Keep product and empty container away from heat and sources of ignition.  
 No sparking tools should be used.  
 No smoking.

**Storage**

Requirements for storage areas and containers : Store in area designed for storage of flammable liquids. Protect from physical damage.  
 Keep containers tightly closed in a dry, cool and well-ventilated place.  
 Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
 Keep away from heat and sources of ignition.  
 Keep away from direct sunlight.  
 Store away from incompatible substances.  
 Container hazardous when empty.  
 Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Protective measures : Ensure that eyewash stations and safety showers are close to the workstation location.

Engineering measures : Use with local exhaust ventilation.  
 Prevent vapor buildup by providing adequate ventilation during and after use.

Eye protection : Do not wear contact lenses.  
 Wear as appropriate:  
 Safety glasses with side-shields  
 If splashes are likely to occur, wear:  
 Goggles or face shield, giving complete protection to eyes

Hand protection : Solvent-resistant gloves

**70% Acetonitrile 30% NMI (734)**

Version 1

Revision Date 08/28/2008

Print Date 08/28/2008

- Gloves must be inspected prior to use.  
 Replace when worn.
- Skin and body protection : Wear as appropriate:  
 Solvent-resistant apron  
 Flame retardant antistatic protective clothing  
 If splashes are likely to occur, wear:  
 Protective suit
- Respiratory protection : In case of insufficient ventilation wear suitable respiratory  
 equipment.  
 For rescue and maintenance work in storage tanks use  
 self-contained breathing apparatus.  
 Use NIOSH approved respiratory protection.
- Hygiene measures : When using, do not eat, drink or smoke.  
 Wash hands before breaks and immediately after handling the  
 product.  
 Keep working clothes separately.  
 Remove and wash contaminated clothing before re-use.  
 Do not swallow.  
 Do not breathe vapours or spray mist.  
 Do not get in eyes, on skin, or on clothing.

**Exposure Guidelines**

Acetonitrile	75-05-8	ACGIH	TWA		20 ppm
		Skin designation: Can be absorbed through the skin.			
		NIOSH	REL	20 ppm	34 mg/m3
		US CA OEL	TWA PEL	40 ppm	70 mg/m3
		US CA OEL	STEL	60 ppm	105 mg/m3
		Skin designation: Can be absorbed through the skin.			
		OSHA Z1	PEL	40 ppm	70 mg/m3
		OSHA Z1A	TWA	40 ppm	70 mg/m3
		OSHA Z1A	STEL	60 ppm	105 mg/m3

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Form : liquid, clear

**70% Acetonitrile 30% NMI (734)**

Version 1

Revision Date 08/28/2008

Print Date 08/28/2008

Color	:	colourless
Odor	:	ether-like
pH	:	10.6 (as aqueous solution)
Melting point/range	:	-43.8 °C (-46.8 °F) The physical data is that of the main component.
Boiling point/boiling range	:	85 °C (185 °F)
Vapor pressure	:	97.3 hPa at 20 °C (68 °F) The physical data is that of the main component.
Relative vapour density	:	1.42 (Air = 1.0)
Density	:	0.8598 g/cm <sup>3</sup> at 20 °C (68 °F)
Density	:	0.8563 g/cm <sup>3</sup> at 25 °C (77 °F)
Water solubility	:	completely soluble

**SECTION 10. STABILITY AND REACTIVITY**

Conditions to avoid	:	Heat, flames and sparks. Keep away from direct sunlight.
Materials to avoid	:	Acids Bases Oxidizing agents Reducing agents Sulfites Perchlorates May attack many plastics, rubbers and coatings.
Hazardous decomposition products	:	In case of fire hazardous decomposition products may be produced such as: Hydrogen cyanide (hydrocyanic acid) Carbon dioxide (CO <sub>2</sub> ), carbon monoxide (CO), oxides of nitrogen (NO <sub>x</sub> ), dense black smoke.
Hazardous reactions	:	Hazardous polymerisation does not occur. Stable under normal conditions.

**70% Acetonitrile 30% NMI (734)**

Version 1

Revision Date 08/28/2008

Print Date 08/28/2008

**SECTION 11. TOXICOLOGICAL INFORMATION**

Acute oral toxicity (Component)	Component: 75-05-8 Acetonitrile LD50 rat Dose: 2,460 mg/kg
Acute oral toxicity (Component)	Component: 616-47-7 1-Methylimidazole LD50 rat Dose: 1,130 mg/kg
Acute dermal toxicity (Component)	Component: 75-05-8 Acetonitrile LD50 rabbit Dose: > 2,000 mg/kg
Acute dermal toxicity (Component)	Component: 616-47-7 1-Methylimidazole LD50 rabbit Dose: 400 - 600 mg/kg
Acute inhalation toxicity (Component)	Component: 75-05-8 Acetonitrile LC50 rat Dose: 12.68 mg/l Exposure time: 8 h
Skin irritation (Component)	Component: 616-47-7 1-Methylimidazole rabbit Corrosive
Eye irritation (Component)	Component: 616-47-7 1-Methylimidazole rabbit Corrosive

**SECTION 12. ECOLOGICAL INFORMATION**

Biodegradability	: Not readily biodegradable. Test substance: 1-Methylimidazole
Toxicity to fish (Component)	: Component: 75-05-8 Acetonitrile flow-through test LC50 Species: Pimephales promelas (fathead minnow) Dose: 1,640 mg/l Exposure time: 96 h
Toxicity to fish (Component)	: Component: 616-47-7 1-Methylimidazole static test LC50 Species: Leuciscus idus (Golden orfe)

**70% Acetonitrile 30% NMI (734)**

Version 1

Revision Date 08/28/2008

Print Date 08/28/2008

	Dose: 100 - 220 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates. (Component)	: Component: 616-47-7 1-Methylimidazole static test EC50 Species: Daphnia magna (Water flea) Dose: 268 mg/l Exposure time: 48 h
Toxicity to algae (Component)	: Component: 616-47-7 1-Methylimidazole EC50 Species: Algae Dose: 180 mg/l Exposure time: 72 h
Toxicity to bacteria (Component)	: Component: 616-47-7 1-Methylimidazole EC50 Species: Bacteria Dose: 1,100 mg/l Exposure time: 17 h

**SECTION 13. DISPOSAL CONSIDERATIONS**

Waste Information: Observe all Federal, State, and Local Environmental regulations.

**SECTION 14. TRANSPORT INFORMATION**

<b>DOT</b>	UN-Number	: 2924
	Proper shipping name	: Flammable liquid, corrosive, n.o.s. (Acetonitrile, 1-Methylimidazole)
	Class	: 3
	Packing group	: II
	Hazard Label	: 3 (8)
<b>IATA</b>	UN Number	: 2924
	Description of the goods	: Flammable liquid, corrosive, n.o.s. (Acetonitrile, 1-METHYLIMIDAZOLE)
	Class	: 3
	Packaging group	: II
	Hazard Label	: 3 (8)
	Packing instruction (cargo aircraft)	: 307
	Packing instruction (passenger aircraft)	: 305

**70% Acetonitrile 30% NMI (734)**

Version 1

Revision Date 08/28/2008

Print Date 08/28/2008

	Packing instruction (passenger aircraft)	: Y305
<b>IMDG</b>	Substance No.	: UN 2924
	Description of the goods	: Flammable liquid, corrosive, n.o.s. (ACETONITRILE , 1-METHYLIMIDAZOLE )
	Class	: 3
	Packaging group	: II
	Hazard Label	: 3 (8)
	EmS Number	: F-E
	Marine pollutant	: no

**SECTION 15. REGULATORY INFORMATION**
**Inventories**

EU. EINECS	: On the inventory, or in compliance with the inventory
US. Toxic Substances Control Act	: On TSCA Inventory
Australia. Industrial Chemical (Notification and Assessment) Act	: On the inventory, or in compliance with the inventory
Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL). (Can. Gaz. Part II, Vol. 133)	: All components of this product are on the Canadian DSL list.
Japan. Kashin-Hou Law List	: On the inventory, or in compliance with the inventory
Korea. Toxic Chemical Control Law (TCCL) List	: On the inventory, or in compliance with the inventory
Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act	: On the inventory, or in compliance with the inventory
China. Inventory of Existing Chemical Substances	: On the inventory, or in compliance with the inventory
Switzerland. Consolidated Inventory	: On the inventory, or in compliance with the inventory
New Zealand. Inventory of	: On the inventory, or in compliance with the inventory

**70% Acetonitrile 30% NMI (734)**

Version 1

Revision Date 08/28/2008

Print Date 08/28/2008

Chemicals (NZIoC), as  
published by ERMA New  
Zealand

TSCA 12B : US. Toxic Substances Control Act (TSCA) Section 12(b) Export  
Notification (40 CFR 707, Subpt D)

Acetonitrile 75-05-8

**National regulatory information**

**SARA 313 Components** : Acetonitrile 75-05-8

**SARA 311/312 Hazards** : Fire Hazard  
Acute Health Hazard  
Chronic Health Hazard

**CERCLA Reportable  
Quantity** : 7825 lbs

**California Prop. 65** : WARNING! This product contains a chemical known in the State  
of California to cause cancer.  
Acrylonitrile 107-13-1

**Massachusetts RTK** : Acetonitrile 75-05-8

**New Jersey RTK** : Acetonitrile 75-05-8

**Pennsylvania RTK** : Acetonitrile 75-05-8

**WHMIS Classification** : B2  
E  
D1A  
D2B

**SECTION 16. OTHER INFORMATION**

	<b>HMIS III</b>	<b>NFPA</b>
Health Hazard	: 3*	3
Flammability	: 3	3
Physical Hazard	: 0	

**70% Acetonitrile 30% NMI (734)**

Version 1

Revision Date 08/28/2008

Print Date 08/28/2008

Instability : 0

**Further information**

\* - Chronic health hazard